
Internet for Guests

Customize Logonpage

1.0.0

English

Software Version V 3.6.2736 or newer

21.07.2011



Index

1. Notes	3
2. Activate FTP user.....	4
3. Start FTP Server.....	4
4. Activate Custom Design	5
5 FTP Server connection	5
6 Directory Structure	6

1. Notes



HTML and CSS knowledge is required to modify the customer logon page design.



Please note that future template changes because of new features have to be added manually to your custom design.



Always use the same template variables as in the original when creating your own template design.



As an alternative you can also use the built-in feature **Redirect before Logon**. This feature allows you easily to redirect customers to a defined website (e.g. corporate website) before logon process. This website just requires a Logon Button which forwards to <http://logon.now>.

2. Activate FTP user

The IAC-BOX provides an ftp user which is disabled by default. Therefore you have to activate the user and assign a password. Select menu **System -> Manage User** and click „Edit“ next to the user „ftp“.

Username	Real Name	eMail	Administrator	Active	Action
backup	Backup User		<input type="checkbox"/>	<input checked="" type="checkbox"/>	Edit Delete
ftp	FTP User for edit custom Template		<input type="checkbox"/>	<input type="checkbox"/>	Edit Delete
sysop	System Administrator		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Edit
ticket	Reception		<input type="checkbox"/>	<input checked="" type="checkbox"/>	Edit Delete

User Information * Required fields

Username: ftp

Change Password: (4 - 20 characters)

Real Name: *

eMail:

Last Login: N/A

Active:

Administrator:

Assign a password to the user „ftp“ and check the „**Active**“ checkbox to activate the user.

Press „**Save**“ to save the changes.

3. Start FTP Server

DHCP Server	<input checked="" type="checkbox"/>	<input type="button" value="Service Restart"/>
DNS Server	<input checked="" type="checkbox"/>	<input type="button" value="Service Restart"/>
FTP Server	<input checked="" type="checkbox"/>	<input type="button" value="Service Restart"/> <input type="button" value="Stop"/> <input type="button" value="Deactivate"/>
Database Server	<input checked="" type="checkbox"/>	<input type="button" value="Service Restart"/>

Switch to menu **System -> Services**.


To start the FTP Server service click **Start**. This will cause to start the FTP once. The FTP Server will not be started after restarting the system.

To start the FTP Server after system restart automatically click **Activate**.

4. Activate Custom Design

To change the customer logon page you have to activate the Custom Design. Switch to menu **Client Logon - > Design** and change design from **Standard** to **Custom**. Click **Save** to save the changes.

You can switch back to the Standard design at any time by switching from **Custom** back to **Standard** design. To delete you custom design irrevocable click **Restore**. This will cause that the default system design will be restored and you can start again to customize your design.

	<p>The template files in the FTP directory are only visible after switching to Custom Design.</p>
---	---


5 FTP Server connection

The FTP Server supports FTP and SFTP (Secure FTP) connections. Use the FTP client of your choice to connect to the server. As Host use the IP address of the servers and logon with the previous activated ftp user and password.

Now you can start to design your custom logon page.

6 Directory Structure

The directory **modern** is currently not in use. Switch to directory **classic** to modify the design.



Directory Information:

- **tmpl:** includes HTML Template files
 - index.tpl Template file of default logon page
 - mobile.tpl Template file of mobile logon page
 - help.tpl Template file for help
 - error-404.tpl Template file of error 404 page
 - dgerror.tpl Template file of HTTP Content Filter
- **tmpl/elements:** contains various HTML Design elements like checkboxes, input fields, combo boxes etc.
- **webroot/css:** contains CSS files for HTML element styles
 - box.css CSS Styles for Box design (Ticket Logon, Status Information, etc.)
 - nobox.css CSS Styles for Box design of old browser and mobile logon page (e.g.: IE6)
 - design.css CSS Styles for Standard logon page
 - mobile.css CSS Styles for Mobile logon page
 - fix-ie6.css special CSS Styles for IE6 Browser
 - fix-ie7.css special CSS Styles for IE7 Browser
- **webroot/images:** contains images of customer logon page
- **webroot/js:** contains Java-Script files for customer logon page